



Embedded System Design Based on Infrared Technology by Using Microcontroller

Md. ShahadatHossain¹, K. M. A. Salam²

PG Student [MS-EET], Dept. of Electrical and Computer Engineering, North South University, Bangladesh¹

Associate Professor & Chairman, Dept. of Electrical and Computer Engineering, North South University, Bangladesh²

ABSTRACT: Embedded System design based on infrared technology by using microcontroller is important for home appliances. The system senses the Infrared technology from the transmitter source and after receiving signal conditioning; signal is given to the microcontroller. The microcontroller used is IC PIC 16F690, which drives the Triac BT134 for controlling output loads. A working system will ultimately be demonstrated to validate the design. The system made is only a prototype. A larger system can be made using this prototype as a model. In this study, we developed an embedded system which can control home appliances remotely as well as manually by using Micro controller. The work has been done with both software and hardware implementation.

KEYWORDS: Embedded Design, IR Sensor, Microcontroller, prototype, Triac BT134.

I. INTRODUCTION

In recent years, many researchers have been studied on infrared technology based device control by using microcontroller system [1]. Due to the different applicability and inherent limitations of embedded system design technologies, researchers have been working on different scenarios with enhanced design of calibration. In their paper, they used ATMEL AVR which was less compact and required to design dedicated infrared remote transmitter, besides the system was less flexible to modify for other control applications. Moreover, the power consumption and speed are the key factor for device applications. The control of the load and smooth operation are also the important factor. In this paper, we developed an embedded design of IR based device control by using Microcontroller IC PIC 16F690 system which has much lower power consumption, compact design and much faster conversion speed than ATMEL AVR.

In addition, this embedded design is an advanced automation system developed to control the appliances in the house by manually and remotely. Both systems are installed in the same circuit which can control the same connected load separately. This designing completely automated switch board with the help of Infrared technology with manual switch to control the house hold connected devices.

II. HARDWARE IMPLEMENTATION

In this system, devices are controlled through Infrared technology as well as manual switch which are interfaced with the controller. We can control any device by using this method. In this experiment, we controlled the ON/OFF switches through Infrared technology and manual switch.

Fig.1 shows the functional block diagram of the total architecture of the system. The device consist of blocks namely IR transmitter, IR receiver, microcontroller, manual switch, and driver circuit




Fig.1: Functional Block Diagram of the System

In this block diagram shows the transmitter circuit which works at 3V power supply, built around Dotted IC and operated by NEC protocol. Fig. 2 shows the NEC IR transmission protocol uses pulse distance encoding of the message bits. Each pulse burst (mark – RC transmitter ON) is 562.5 μ s in length, at a carrier frequency of 38 kHz (26.3 μ s). Logical bits are transmitted as follows: When Logical '0' – a 562.5 μ s pulse burst followed by a 562.5 μ s space, with a total transmit time of 1.125ms. When Logical '1' – a 562.5 μ s pulse burst followed by a 1.6875ms space, with a total transmit time of 2.25ms. Address and command are transmitted twice for reliability [2].




Fig.2: NEC Protocol Modulation

A command is transmitted only once, even when the key on the remote control remains pressed. Every 110ms a repeat code is transmitted for as long as the key remains down. This repeat code is simply a 9ms AGC pulse followed by a 2.25ms space and a 560 μ s burst. Its transmission wavelength lies between 900 to 1100nm (near IR range) that lies in the peak receptivity range of TSOP1738 receiver module.

The receiver circuit of the system which comprises of IR sensor TSOP1738, power supply and manual switches. The receiver and transmitter circuit should be aligned face to face so that the IR rays get interrupted when someone stands in between the two. As long as the IR beams fall on the sensor, its output remains low, transistor does not conduct. When anyone interrupts the IR beam falling on the sensor, its output goes high to drive the transistor into conduction. All the data collected about different users will be fed into the micro controller through IC PIC 16F690.

The architecture of the system also controls the connected load through the manual switch which is directly interfaced with controller. Microcontroller will process this information and accordingly ON/OFF the devices. Fig. 3 shows the hardware implementation of receiver side which represents IC PIC 16F690, TSOP 1738, embedded system, Traic BT134, capacitance power supply system are used in this hardware.




Fig.3: Hardware Implementation of Receiver Circuit

III. METHODOLOGY

Fig.4 shows the circuit design with manual switch of the system which was based on neutral connection cause of BT 134 has npn triac. That is driven by neutrally. Power source is connected through non polar Capacitor which one pin is connected by neutral and other pin is connected by 24 volt power source. As per requirement of capacitor output, the voltages step down from 24V to 5V by using 5.1V Zener diode. This 5 volt operational voltage is required for operated in IC PIC 16F690.

The Infrared signal comes from Transmitter side then the Receiver side gets the digital signal by using sensor TSOP 1738 [3]. When IR waves come from a source, with a centre frequency of 38 kHz incident on it, its output goes low. The output of TSOP is active low and it gives +5V in off state. TSOP module has an inbuilt control circuit for amplifying the coded pulses from the IR transmitter. A signal is generated when PIN photodiode receives the signals. This input signal is received by an automatic gain control (AGC). For a range of inputs, the output is fed back to AGC in order to adjust the gain to a suitable level. The signal from AGC is passed to a band pass filter to filter undesired frequencies. After this, the signal goes to a demodulator and this demodulated output drives an npn transistor. The collector output of the transistor is obtained at pin 3 of TSOP module.

We used zero crossing detectors in this program for the accuracy of starting voltage. In alternating current, the zero-crossing is the instantaneous point at which there is no voltage present. In a sine wave or other simple waveform, this normally occurs twice during each cycle. Because abnormal voltages are harmful for circuit reliability. A zero crossing detector literally detects the transition of a signal wave form from positive and negative, ideally providing a narrow pulse that coincides exactly with the zero voltage condition. It is mentioned that the pulse width modulation (PWM) system was built in with this diode which controlled our analog device speed [4].

BT 134 triacs has Glass passivated triacs in a plastic envelope, intended for use in applications requiring high bidirectional transient and blocking voltage capability and high thermal cycling performance [5]. Typical VDRM Repetitive peak off-state applications include motor control, voltages industrial and domestic lighting, heating and static switching. The capacitive power supply was used for consuming power loss in this circuit.

From TSOP 1738 sensor sends the IR signal to IC PIC 16F690 which Pins are connected through BT 134 Triac. BT 134 Triacs are individually connected to the separate loads. User can transmit the signal to the receiver side for drive the loads by controlling BT134 Triac. This controlling language is installed to the microcontroller. User can drive the loads which they want by the system language without any interference. The power control device used here is a Triac BT134 being least expensive power switch to operate directly on the 110/240V mains. Thus it is the optimal switch for

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 10, October 2014

most of the low-cost power applications operating online. It can withstand a maximum load current typically 5A. Phase angle control technique is employed to control the load power. The output power is controlled by the phase delay of the Triac drive. This delay is referred to the zero crossing of the line voltage detected by Zero crossing detector circuit. This process repeated on each connected loads.




Fig.4: Receiver Circuit of the System

It is also notable that this system controls the connected load through the infrared technology as well as manual switch system which are interfaced with controller via BT134 Triac. The design consists of a microcontroller, which is interfaced with the input and output modules, Order of switching the devices will be programmed predefined in the IC.

IV. SIMULATION RESULT

The micro controller along with its various interfaces requires software to work on. Assembly language software for the micro controller was developed using Micro C [6]-[8]. This consists of a project manager, text editor and simulator. Assembly language code was written using the text editor, and then compiled into hexadecimal form for downloading into the microcontroller. The simulator proteus was used for testing of program functions although this was very limited due to the nature of the simulator.

If 80W load was connected through the dimmer channel and setting values to dimmer were incremented. After each new value was set, the voltage at that channel's output was different which is measured with multimeter. The observed data is given in table 1.

International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 10, October 2014

TABLE 1. FAN DIMMER VOLTAGE TEST RESULT

<i>Timer Setting</i>	<i>Measured Voltage</i>	<i>Percentage full scale</i>
58900	25	10.7
59610	40.3	20.3
60910	90.2	34.1
61430	118.5	52.3
62010	143.3	64.2
63110	182.5	80.7
65455	218.2	98.7

From table 1 it is observed that each channel of the dimmer output can take on any voltage between 10.7% and 98.7% of full scale and it can be used as transformer less variable power supply. The resolution for stepping voltage can be changed by adjusting the timer setting in microcontroller.

At a cost of only 35% increases of power supply current for the microcontroller then achieve a net reduction in the circuit current drawn over to 63%. The results in a significant savings in power dissipated in the transformer less variable power supply.

We can find timer setting 65455 & measured value 218.2 at that time any connected load is on & full voltage activated. When load off, shown in Table 1 voltage was zero. If measure another load of 100W which was connected through the system then gets the accurate test result by oscilloscope is shown in Fig.5. It is revealed that when the pick value of sign wave was high, the square wave of the load also high and in this situation load is on. Otherwise load is off.




Fig.5. Output of the 100W connected load.

By using this process we get the result of others connected loads which result verify by oscilloscope. From oscilloscope we seen, if our transmitted signal voltage will be matched our programming voltage that time we get the accurate output.

In this system has designed by manual switch which interfaced to the microcontroller. The manual switch sends the ON/OFF commands to the microcontroller where loads are connected via the BT 134 Triac then the loads can be turned ON/OFF and see the output results directly which loads are connected through the system. This design provides a user friendly environment of the user to operate the devices effectively.



International Journal of Advanced Research in Electrical, Electronics and Instrumentation Engineering

(An ISO 3297: 2007 Certified Organization)

Vol. 3, Issue 10, October 2014

V. CONCLUSION

Embedded Design of IR Based device control by Using microcontroller System has been studied. The simulation result showed that this system is lower power consumption, faster and operated by multiple loads which are connected through the system. These systems are simplicity, low cost, Easy to installation, less interference and small size. It might be used in home appliances in future.

ACKNOWLEDGEMENTS

The author would like to acknowledge the help of K. M. A. Salam, North South University for help on gathering current information on Embedded System Design.

REFERENCES

- [1] ShahanazAyub, J.P.Saini, "Advances in Applied Science Research," 1(2), pp. 76-83, 2010.
- [2] Bergmans S., Oisterwijk, Sony SIRC Protocol [online], available at: <http://www.sbprojects.com/knowledge/ir/sirc.htm>.
- [3] TSOP 1738 Datasheet, Available at: <http://batronix.com/pdf/tsop17xx.pdf>.
- [4] Philips Semiconductors Application note, Power Control with Thyristors and Triacs [online], available at: <http://www.fairchildsemi.com/an/AN/AN-3006.pdf>
- [5] BT 134 Triac Datasheet, available at: http://pdf.datasheetcatalog.com/datasheet/philips/BT134_SERIES_E_1.pdf.
- [6] Tim wilmshurst, "Designing Embedded System with PIC Microcontroller," Second Edition, 2010.
- [7] Dr. Richard Bernatt, "Embedded C Programming and the Microchip PIC," Volume 1, 2006.
- [8] Chuck Hellebuyck, "A Beginner's Guide to Embedded C Programming," Lite C Compiler, 2008.
- [9] JoonKee Cho, DongRyeol Park, and Yeon-ho Kim, "A method of remote control for home appliance using hand gesture," IEEE Journal.
- [10] C. Suh and Y.B. Ko, "Design and Implementation of Intelligent Home Control Systems," IEEE Transactions on Consumer Electronics, Vol. 54, No.3, Aug. 2008.
- [11] Keller.T, Paczkowski, and R.Modelski J, "Using Bluetooth in a system for integrated control of home digital network devices," IEEE journal.

BIOGRAPHY



Md. ShahadatHossain is currently pursuing his MS in Electronic &Telecommunication Engineering with specialization in embedded system design from North South University (NSU), Bangladesh.He is working in a largest multinational company of Bureau Veritas Bangladesh Ltd as an Industrial Surveyor (Electrical Engineer). Observing design and implement quality and compliance strategies from early design until operations of the industries. His special fields of interest are Integrated Circuits, Power System, RenewableEnergy sources.



Dr. K.M.A. Salam received hisPh.D. in Electrical & Electronic Engineering from Muroran Institute of Technology, Japan. At present he is AssociateProfessor & Chairman in Electrical and Computer Engineering Department at North South University (NSU), Bangladesh. Hisarea of research interest includesCMOS Technology, IC Fabrication and CCD/CMOS Image Sensor.Dr. K.M.A. Salam has published several technical papers in national/international conferences.